

C.R. 2055011017

س.ت ۱۱۰۱۷ ۱۰۵۰۲



### ATT – A Brief introduction

Established in 2009

• CR #: 2055011017

Chamber of Commerce Reg. #: 161981

Present Office Address : 6680 King Faisal West

Unit No. 2 – Al Jubail 35514 – 3134

Kingdom of Saudi Arabia

Ph: (013) 362 8833


• WH address : 4402 Road 114 – Third Industrial Area


Al Jubail 35729-8294

Kingdom of Saudi Arabia



### ATT - Head Office















### ATT - Products Overview

- Valves Manual and automated
- Combustion Equipment Incinerators, flares, burners
- Expansion Joints, Heat Exchangers, Aluminium piping and pressure vessels, Complex pressure vessels and piping.
- Container liners
- Pipes and pipe fittings, flanges



### TYPES OF VALVES STOCKED

**Gate, Globe & Check Valves** 

**Wafer Check Valves** 

**Ball Valves** 

Floating & Trunnion Design

Top Entry Design

Metal Seated

**Butterfly Valves** 

Resilient Seated

High Performance

Triple Offset

**Plug Valves** 

Non-Lubricated & Lubricated Design

**Pipeline Valves** 

Trunnion Mounted Ball Valves to API 6D & 6A

Double Block & Bleed Plug Valves

Pipeline Check Valves

**Bellows Seal Valves** 

**Coker Valves** 

**Diaphragm Valves** 

**HF Acid Valves** 

**Vent Check Valves** 

**Marine & Offshore Valves** 







### **BODY MATERIALS STOCKED**

Alloy 20 Inconel

Aluminum Bronze LF2

Bronze LCB

Carbon Steel LCC

Cast Iron Monel

Ductile Iron Stainless Steel | 316 | 304 | 304H | 347

F5 | F9 | F11 | F22 | F91 | WC6 | WC9 | C5 | C12 | C12A

Hastelloy C

### SPECIAL TRIMS STOCKED

316 Stainless | Alloy 20 | Bronze | Monel | NACE | Full Stellite



#### API 6D Trunnion Ball Valves

Size Range 2"-24" in Pressure Classes 150#, 300#,600#,900#, 1500#, 2500# Manufacturers: WKM, PBV

**Butterfly Valves** 

**DEMCO**®

Size Range: 2"-16" in Wafer Style / 2"-24" Lug Style

150 and 285 PSI Pressure ratings

Manufacturer: Demco

High Pressure Gate Valves/ Mud Systems Valve



Size Range: 2" - 5" in 5000 and 7,500 PSI Pressure ratings

Manufacturer: Demco





Size Range: 2"-36" in 150 PSI Pressure ratings (for higher pressures please inquire)

Manufacturer: Velan, Orbinox

**Knife Gate Valves** 

Marine Gate, Globe, Check and Ball Valves

All Bronze Valves - Size Range: 1/4" - 12" in Threaded and Flanged Ends Pressure Ratings: Threaded ends- 2000 WOG, Flanged Ends-150# Class Manufacturer: National Valve, Pima Valve



Cast Iron, Ductile Iron, and Cast Steel Valves (Bronze Trim, CR-13 Trim) Size Range 2" - 24'

Pressure Class: 125# Class, 150# Class

Manufacturers: Lunkenheimer, William E Williams, Newco Valve, Milwaukee Valve









G/CBB/CBA SERIES SCOTCH YOKE PNEUMATIC & HYDRAULIC ACTUATORS
DOUBLE ACTING & SPRING RETURN

**D SERIES** RACK & PINION PNEUMATIC ACTUATORS

BHH SERIES HELICAL HYDRAULIC ACTUATORS
DOUBLE ACTING & SPRING RETURN

BL SERIES LINEAR HYDRAULIC ACTUATORS
DOUBLE ACTING & SPRING RETURN





MULTI-TURN & QUARTER TURN ELECTRIC MOTOR OPERATORS,
AIR MOTOR OPERATORS AND GEAR OPERATORS

# Limitorque

LIMITORQUE AUTHORIZED SERVICE CENTER





ATI:

Linear Pneumatic Actuators



KINETROL:

Vane - Pneumatic Actuators

KINETROL

POSITIONERS
FISHER DVC

FF, HART, 4-20MA INPUT/OUTPUT

WESTLOCK

SIGNATURES

**PMV** 

WESTLOCK CONTROL COMPO

TOPWORX

LIMIT SWITCHES

WESTLOCK COMPREHENSIVE LINE
TOPWORX COMPREHENSIVE LINE

Skinner Valve™

**SOLENOIDS & ACCESSORIES** 

WESTLOCK SOLENOLD VALVES

ASCO COMPREHENSIVE LINE

SKINNER NAMUR MOUNTED

VERSA PILOT VALVES

FISHER FILTER REGULATORS

MISCELLANEOUS TANKS, PARKER & SWAGELOK FITTINGS







#### VERTICALLY INTEGRATED VALVE AUTOMATION FEATURING:

- IN-HOUSE CAD DESIGN UTILIZING SOLID WORKS MODELING
- IN-HOUSE CNC MACHINING OF ALL ACTUATION HARDWARE
- COMPLETE AUTOMATION DOCUMENTATION & DRAWING CAPABILITIES
- INDIVIDUAL SERIALIZATION OF ALL AUTOMATED VALVE PACKAGES

- IN-HOUSE ACTUATED VALVE PACKAGE TESTING CAPABILITIES
   INCLUDING ESD, VALVE SIGNATURES FF, HART, ETC.
- FM APPROVED SHOP
- LIMITORQUE AUTHORIZED SERVICE CENTER
- 30 TON OVERHEAD AND MULTIPLE GIB CRANES.
- BETTIS AUTHORIZED VAC CENTER





Stocked in ASTM A216 Gr. WCC carbon steel bodies, 2-pc design trunnion ball valves certified to NACE, double block and bleed, firesafe to API 607/6FA. Inventory size ranges from 2"-24" reduced port or full port in pressure classes of 150#, 300#, 600#, 900#, 1500#, and 2,500#. Stocked with ENP ball and also 316 SS ball/trim options, nylon (N6) seats, HNBR seals with RF flanged ends and/or RTJ ends (1500#-2500# classes) with wrench or gear operator.

\*Also in stock WKM floating ball valves in threaded and flanged end connections.\*



Stocked in ASTM A216 Gr. WCB/WCC carbon steel bodies, 2-pc design trunnion ball valves to API-6D certified to NACE, double block and bleed, fire safe to API 607/6FA. Inventory size range 2"-12" reduced port (Series 5800) or full Port (Series 6800) in pressure classes 150# thru 600#, with glass filled RTFE seats on 150# and 300# classes or Devlon Seats (600#), HNBR seals, 3-Mil ENP Ball with RF flanged end connections and wrench or gear operator.

\*3-pc design PBV API 6D ball valve also available from factory.\*





Stocked in ASTM A350 LF2 forged carbon steel low temp bodies (-50 Degrees to 800 Degrees F), in 2-Pc and 3-Pc design or welded body design (certain sizes) certified to NACE, double block and bleed, fire safe to API 607/6FA. Inventory size range from 2" thru 36" full port, with 3-Mil ENP forged carbon steel ball, 4140 Stem, nylon seats, HNBR seals, full port, with RF flanged, RTJ flanged or XH butt weld end connections (certain sizes and pressure classes) and wrench or gear operator.





150# 300#, 600#, 900# 1500#

### **Wheatley Swing Check Valves**

Stocked in the following sizes and pressure classses in carbon steel bodies ASTM A216 WCC to NACE with 316 SS Trim, Buna Seals certified to API 6D

Pressure class in size range from 1"-12" in RF flanged ends
Pressure class in size range from 1"-12" in RF and RTJ flanged ends
Pressure class in size range from 1"-6" in RF and RTJ flanged ends

Additional sizes up to 48" and body, trim options available from factory.





### **Duraseal Plug Valves**

Stocked in the following sizes and pressure classes in carbon steel bodies ASTM A216 WCB/WCC with hard chrome plating internal, with Cast Carbon Steel A216 WCB/WCC Plug with ENP (Electroless Nickel Plating), 17-4 Stainless steel packing gland and Viton Seals, raised face flanged end connections, wrench operator thru 4" size range, gear operator on 6" and larger. All valves certified to API 591, API 6D, and API 622. Valves are also fire safe to API 6FA. All Duraseal valve components and parts are 100% completely interchangeable with General Twin Seal 800 series plug valves.

150# Pressure class, stocked in size range 2"-16" with up to 24" available from factory 300# Pressure class, stocked in size range 2"-12", 600# stocked in 2"-6" and up to 12" from factory

Optional body, trim and seal materials also available from factory production













### **PASADENA FACILITY**













### **OUR WH FACILITY**

• Length : 236'-2" [72 m]

• Width : 68'-10" [21 m]

• Area : 16,257 sq. ft. [1512 sq. m]

• Rack Height : 38' [11.58 m]

• Mill, Lathe, Polisher, Belt Sander, Band Saw, Key Seater.

Large Valve assembly & Small Valve Assembly.

• Test Stand Range: ½"- 14" from class 150 to class 2500



### **OUR FACILITY – WAREHOUSE FOR VALVES**









### ATT - STOCKING IN WH



















### MANUAL VALVE MANUFACTURERS



**SMITH** 



































**DeZURIK** 



### **AUTOMATED VALVE MANUFACTURER**

























## **ABOUT SUNBELT SUPPLY**

- Since 1978.
- World leader in Supply & Distribution.
- One of the largest inventories with 185,000 sq. ft.
- Stocking distributor with 50 manufacturers.
- 1st recipient of Dow chemical's 6σ based Qualified Supplier Award.
- HQ in Houston, Texas.
- More than 17 stocking location including US, Canada, KSA and China.
- In- House automation service provided.





عرابة التجورة الأمريكية المريدات

erests assessed bitalists for oversion assessment themself

#### SOUTHWEST STAINLESS, L.P. dba SUNBELT SUPPLY CO.

3750 Hwy 225, Pasadena, Texas 77503, U.S.A. Telephone: 713-672-2222 Facsimile: 713-672-2725

Hardware Commence of the Comme

#### **AUTHORIZED SOLE AGENT CERTIFICATE**

This is to certify that,

M/s. Alasamer Technical Trading, (a company of Raco Group)

Head Office: PO Box 11788, Jubail Ind. City 31961, Kingdom of Saudi Arabia

Is appointed as sole agent, independent distributor and sales representative of Southwest Stainless, L.P. dba Sunbelt Supply Co., U.S.A., for pipes, valves (including automated valves), fittings, flanges and related products and actuation accessories in the Kingdom of Saudi Arabia. This authorization is governed by the Distributor and and Sales Representation Agreement signed between both companies dated 12 December 2013.

Signature:_	Jay fell		
Name:	Larry Feld		
Title:	Vice President		
Date:	5 February 2015		

STATE OF TEXAS COUNTY OF HARRIS

UNTY OF HARRIS §

SUBSCRIBED AND SWORN TO BEFORE ME by LARRY FELD, Vice President of Southwest Stainless, L.P., on the day of February, 2015.



NOTARY PUBLIC in and for the



250 Riverside Ave N 320-259-2000 p Sartell, MN 56377 USA 320-259-2227 f

9th February, 2015

TO: Sunbelt Supply Arabia and KSA Partner Al Asamer Technical Trading Co Ltd

Main Office:

6680 King Falsal West Unit 2- Al Jubail 35514-3134 Kingdom of Saudi Arabia +966 13 362 8833

Shop and Offices: Industrial Area 118, Rd 81263 Land 1, Block 9, Section M Jubail Industrial City, 31961

RE: Agreement with Sunbelt Supply Arabia and Al Asamer Technical Trading

Dear Sirs:

This letter is being sent in reference to Sunbelt Supply Arabla Co. and Al Asamer Technical Trading Co. Ltd. for the sale and distribution of manual and automated products ("the Products") in Saudi Arabia ("the Territory").

Please be aware that Sunbelt Supply Co. via Al Asamer Technical Trading is an authorized distributor and sales representative (Rep# 884) for the Products in the Territory. We have a strong long-term relationship with Sunbelt Supply Co. which is a stocking distributor.

Please let us know if you have any questions or If additional information is required.

yant to

Vijay K. Puri Vice President – International Sales

> DeZURIK 250 Riverside Avenue North Sartell, MN 56377-2129 U.S.A.

info@dezurik.com www.dezurik.com

Printed in the US



POWELL VALVES

othy E. Fries
President Sales & Marketing

The Wm. Pexinii Campany 2503 Soring Grove Avenua Cincinneti, 01/45214 513 BSZ 2950, Coll. 513:203.9250 Fax: 513.852,2948

November 23, 2015

TO: Sunbelt Supply Arabia and KSA Partner
Al Asamer Technical Trading Co Ltd

Main Office

6680 King Faisal West
Unit 2- Al Jubail 35514-3134
Kingdom of Saudi Arabia
+966 13 362 8833

Shop and Offices:

Industrial Area 118, Rd 81263 Land 1, Block 9, Section M Jubail Industrial City, 31961

RE: Agreement with Sunbelt Supply Arabia and Al Asamer Technical Trading

Dear Sire

This letter is being sent in reference to Sunbelt Supply Arabia Co. and Al Asamer Technical Trading Co. Ltd. for the sale and distribution of manual and automated products ("the Products") in Saudi Arabia ("the Territory").

Please be aware that Sunbelt Supply Co. via Al Asamer Technical Trading is an authorized Powell Valve distributor and sales representative for the Products in the Territory. We have a strong long-term relationship with Sunbelt Supply Co. which is a stocking distributor.

Please let us know if you have any questions or if additional information is required

Sincerely.

000

mothy E. Fries

Vice President Sales & Marketing North America & International

Leading the Industry Since 1846.



### **OUR CUSTOMERS**















عمليات الخفجى المنشتركة

AL KHAFJI JOINT OPERATIONS



























# **CONTACT US**

NAME	DESIGNATION	PHONE	EMAIL
Mansour Al Harbi	Chairman	+966-13-362-8833 Ext 100	mansour@raco.com.sa
Erosh Chandran	Sr. Sales Engineer	+966-13-362-8833 Ext 105	<u>erosh@raco.com.sa</u>
Sujin V S	Sr. Sales Engineer	+966-13-362-8833 Ext 106	<u>sujin@raco.com.sa</u>
Mashhood Ambatt	Business Compliance	+966-13-362-8833 Ext 101	mashhood@raco.com.sa

